



**International**

## SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) No. 1907/2006

Page 1 of 4

### Roban Pasta Bait

Revision 5  
Revision date 07-Oct-2011

#### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

**Product name** Roban Pasta Bait  
**Company** PelGar International Ltd  
Unit 13 Newman Lane Industrial Estate  
Newman Lane  
Alton  
Hampshire GU34 2QR  
**e-mail address** philip@pelgar.co.uk  
www.pelgar.co.uk  
**Telephone** Tel +44 (0) 1420 80744  
**Fax** Fax +44 (0) 1420 80733  
**Emergency telephone number** Tel +44 (0) 1420 80744  
**Intended Use** ready for use rodenticide containing 50 ppm difenacoum.

#### 2 HAZARDS IDENTIFICATION.

**Labelling to Directive 1999/45 EC** The preparation is non-dangerous in accordance with Directive 1999/45/EC.

**Safety phrases** To avoid risks to man and the environment, comply with the instructions for use.  
S1/2 - Keep locked up and out of the reach of children.  
S13 - Keep away from food, drink and animal feedingstuffs.  
S20/21 - When using do not eat, drink or smoke.  
S37 - Wear suitable gloves.  
S46 - If Swallowed, seek medical advice immediately and show this container or label .

**Other hazards** Unlikely to cause harmful effects under normal conditions of handling and use. Harmful to Wildlife. Wild mammals and birds may be at greater risk if the product is not used in accordance with its label.

#### 3 . COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients	Conc.	CAS	EINECS	Symbols/Risk phrases EEC67/548
Difenacoum	0.005%	56073-07-5	259-978-4	T+; R28 T; R48/25 N; R50/53
Flour	60 - 70%			
Denatonium benzoate	0.001%	3734-33-6	223-095-2	Xn;R20 Xn;R22 Xi;R37 Xi;R38 Xi;R41 R52/53
propane-1,2-diol (Propane-1,2-diol particulates)	1 - 10%	57-55-6	200-338-0	

Print date 30-Mar-2012

# Roban Pasta Bait

Revision 5  
Revision date 07-Oct-2011

## 4. FIRST AID MEASURES

<b>Skin contact</b>	May cause irritation to skin. Remove contaminated clothing. Wash off immediately with plenty of soap and water. If irritation persists obtain medical attention. Contaminated clothing should be washed and dried before re-use.
<b>Eye contact</b>	May cause irritation to eyes. Seek medical attention if irritation or symptoms persist. Wash with water.
<b>Inhalation</b>	Move the exposed person to fresh air. Obtain medical advice immediately. Unlikely to present an inhalation hazard as the product is supplied as a paste.
<b>Ingestion</b>	If swallowed, seek medical advice immediately and show this container or label.
<b>General information</b>	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). <b>ADVICE FOR DOCTORS:</b> Difenacoum is an anticoagulant which may produce bleeding; this may be delayed for several days after exposure. If there is no active bleeding the INR (prothrombin time) should be measured on presentation and 48-72 hours after exposure. If the INR is greater than 4, administer Vitamin K1 (phytomenadione) 5-10 mg by slow intravenous injection (100 µg/kg body weight for a child). Treatment with phytomenadione (orally or intravenously) may be required for several weeks. The advice of the National Poisons Information Service ( <a href="http://www.npis.org/">http://www.npis.org/</a> ) should be sought, particularly if active bleeding occurs.

## 5. FIRE FIGHTING MEASURES

<b>Extinguishing media</b>	Keep fire exposed containers cool by spraying with water if exposed to fire. Carbon dioxide (CO <sub>2</sub> ) Alcohol resistant foam. Dry chemical. Use extinguishing media appropriate to the surrounding fire conditions. Do NOT use ... Do not use water jets.
<b>Protective equipment</b>	Wear: Self-contained breathing apparatus. Suitable gloves and boots.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Wear suitable protective clothing, gloves and eye/face protection. See section 8.
<b>Environmental precautions</b>	Prevent further spillage if safe.
<b>Clean up methods</b>	Transfer to a suitably labelled container. Subsequently, wash the contaminated area with water, taking care to prevent the washings entering sewers or drains.

## 7. HANDLING AND STORAGE

<b>Handling</b>	Avoid contact with eyes and skin. Avoid formation of dust. Do not smoke eat or drink while handling this product. Always use good personal hygiene procedures when handling chemicals. Wash hands and face before eating, drinking or smoking. Read the label before use.
<b>Storage</b>	Keep in a cool, dry, well ventilated area. Keep out of the reach of children. Keep away from food and animal feedstuffs. Keep away from oxidising agents.
<b>Specific use</b>	ready for use rodenticide containing 50 ppm difenacoum.

# Roban Pasta Bait

Revision 5  
Revision date 07-Oct-2011

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure limits

Flour	WEL 8-hr limit ppm: WEL 15 min limit ppm:	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: 30
propane-1,2-diol (Propane-1,2-diol particulates)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: -
propane-1,2-diol (Propane-1,2-diol total vapour and particulates)	WEL 8-hr limit ppm: 150 WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 474 WEL 15 min limit mg/m3: -

**Respiratory protection** Not required under normal conditions of handling and use.

**Hand protection** Impervious gloves.

**Eye protection** Not required under normal conditions of handling and use.

**Protective equipment** Wear protective clothing. Rubber boots.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Description</b>	Paste.
<b>Colour</b>	Red.
<b>Odour</b>	Characteristic.

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under normal conditions.
<b>Conditions to avoid</b>	Heat, sparks and open flames.
<b>Materials to avoid</b>	Oxidising agents.
<b>Hazardous decomposition products</b>	Combustion or thermal decomposition will produce toxic and irritant fumes.

## 11. TOXICOLOGICAL INFORMATION

### Toxicological information

Difenacoum	Oral Rat LD50 = 1.8 mg/kg Dermal Rat LD50 = 51.5 - 63 mg/kg Inhalation Rat LC50/4 h = 16.27-20.74 µg/l
Denatonium benzoate	Oral Rat LD50 = 749 mg/kg Inhalation Rat LC50/4 h = 0.2 mg/l
propane-1,2-diol	Oral Rat LD50 = >2000 mg.kg

**Acute toxicity** ORL RAT LD50 approx. 30 g/kg (calculated).

**Corrosivity** No irritation expected.

**Sensitization** Flour dust is a respiratory sensitiser causing asthma. As the product is a paste, it will not create any dust.

**Mutagenic effects** No evidence to suggest anticoagulant rodenticides are mutagenic.

**Carcinogenic effects** No evidence to suggest anticoagulant rodenticides are carcinogenic.

# Roban Pasta Bait

Revision 5  
Revision date 07-Oct-2011

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** As the product contains 50ppm difenacoum , unlikely to be hazardous to aquatic life.

Difenacoum Algae EC50/72h = 0.51mg/l  
Daphnia LC50/48h = 0.91 mg/l  
Rainbow trout LC50/96h = 0.33 mg/l

propane-1,2-diol Daphnia EC50/48h = 4850 mg/l  
Fish LC50/96h = 4600mg/l

**Further information** Harmful to wildlife. Read all precautions before use.

## 13. DISPOSAL CONSIDERATIONS

**General information** Dispose of as hazardous waste in compliance with all local and national regulations.  
Hazardous Waste Code 20 01 19

**Disposal of packaging** Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

## 14. TRANSPORT INFORMATION

**Further Information** Not Classified as dangerous for transport

## 15. REGULATORY INFORMATION

**Labelling** The product is classified as non hazardous and is labelled in accordance with Biocides Directive 98/8 EEC.  
Read the label before use.

**Safety, Health and Environmental Regulations** Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010.  
Biocides Directive 98/8 EEC.

## 16. OTHER INFORMATION

**Text of risk phrases in Section 3.** R20 - Harmful by inhalation.  
R22 - Harmful if swallowed. R28 - Very toxic if swallowed.  
R37 - Irritating to respiratory system. R38 - Irritating to skin.  
R41 - Risk of serious damage to eyes.  
R48/25 - Toxic: danger of serious damage to health by prolonged exposure if swallowed.  
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Restricted use** ready for use rodenticide containing 50 ppm difenacoum.

**Further information** Approved under the Biocides Directive 98/8 EEC. Authorisation Number UK-2011-0085  
Authorisation Number Eire IE/BPA 70063 (Professional)

**Data sources** Raw material suppliers Safety Data Sheets. CHIP 2009 EH40

**Revision** This document differs from the previous version in the following areas:  
2 – Hazards identification; . 4 – First Aid Measures  
8 – Respiratory Protection, Eye Protection; 11 – Toxicological information,  
13 – Disposal Considerations, 15 – Regulatory Information